

Campi Elettromagnetici

**Corso di Laurea in Ingegneria Informatica,
Biomedica e delle Telecomunicazioni**

a.a. 2020-2021 - Laurea “Triennale” – Secondo semestre - Secondo anno

Università degli Studi di Napoli “Parthenope”

Stefano Perna

Phasors and vector functions

Time domain

$$\vec{f}(x, y, z, t) = f_x(x, y, z, t)\hat{i}_x + f_y(x, y, z, t)\hat{i}_y + f_z(x, y, z, t)\hat{i}_z$$

Phasor domain

$$\vec{F}(x, y, z) = F_x(x, y, z)\hat{i}_x + F_y(x, y, z)\hat{i}_y + F_z(x, y, z)\hat{i}_z$$

$$f_x(x, y, z, t) = A_x(x, y, z)\cos(\omega_0 t + \alpha_x(x, y, z))$$

T-to-P

$$F_x(x, y, z) = A_x(x, y, z)e^{j\alpha_x(x, y, z)}$$

$$f_y(x, y, z, t) = A_y(x, y, z)\cos(\omega_0 t + \alpha_y(x, y, z))$$

T-to-P

$$F_y(x, y, z) = A_y(x, y, z)e^{j\alpha_y(x, y, z)}$$

$$f_z(x, y, z, t) = A_z(x, y, z)\cos(\omega_0 t + \alpha_z(x, y, z))$$

T-to-P

$$F_z(x, y, z) = A_z(x, y, z)e^{j\alpha_z(x, y, z)}$$

$$\vec{f}(x, y, z, t)$$

T-to-P

$$\vec{F}(x, y, z)$$

$$\vec{F}(x, y, z)$$

P-to-T

$$\vec{f}(x, y, z, t) = \text{Re}\{\vec{F}(x, y, z)e^{j\omega_0 t}\}$$

Phasors and vector functions

Time domain

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$



Phasor domain

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow \text{T-to-P} \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow \text{T-to-P} \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow \text{T-to-P} \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

$$\vec{\mathbf{f}}(t) \longrightarrow \text{T-to-P} \longrightarrow \vec{\mathbf{F}}$$

$$\vec{\mathbf{F}} \longrightarrow \text{P-to-T} \longrightarrow \vec{\mathbf{f}}(t) = \text{Re}\{\vec{\mathbf{F}}e^{j\omega_0 t}\}$$

Complex vectors: graphical representation


Real numbers

f




Real vectors (3 components)

$$\vec{f} = f_x \hat{i}_x + f_y \hat{i}_y + f_z \hat{i}_z$$




Complex numbers

$$F = Ae^{j\alpha} = X + jY$$



Complex vectors (3 components)

$$\vec{F} = F_x \hat{i}_x + F_y \hat{i}_y + F_z \hat{i}_z$$



Color legend

New formulas, important considerations,
important formulas, important concepts

Very important for the discussion

Memo

Mathematical tools to be exploited

Mathematics

Phasors and vector functions

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{\mathbf{i}}_x + f_y(t)\hat{\mathbf{i}}_y + f_z(t)\hat{\mathbf{i}}_z$$

$$\vec{\mathbf{F}} = F_x\hat{\mathbf{i}}_x + F_y\hat{\mathbf{i}}_y + F_z\hat{\mathbf{i}}_z = A_x e^{j\alpha_x}\hat{\mathbf{i}}_x + A_y e^{j\alpha_y}\hat{\mathbf{i}}_y + A_z e^{j\alpha_z}\hat{\mathbf{i}}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

Phasors and vector functions

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$


P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

$$\begin{cases} F_p = |\vec{\mathbf{F}}| \cos \phi \\ F_q = |\vec{\mathbf{F}}| \sin \phi \end{cases}$$

$$|\vec{\mathbf{F}}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{\mathbf{u}} \cdot \hat{\mathbf{v}} = 0$$

Polarization plane



$$F_p + jF_q = |\vec{\mathbf{F}}| e^{j\phi}$$

Phasors and vector functions

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$

T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\vec{f}(t) \longrightarrow \boxed{\text{T-to-P}} \longrightarrow \vec{F}$$

$$\vec{F} \longrightarrow \boxed{\text{P-to-T}} \longrightarrow \vec{f}(t) = \text{Re}\{\vec{F} e^{j\omega_0 t}\}$$

Phasors and vector functions

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ lies in the polarization plane (\hat{p}, \hat{q}) (which is coincident with the plane (\hat{u}, \hat{v})), and it changes in general both its amplitude and its direction as the time elapses.

Two cases are of particular interest:

- **Linear polarization**
- **Circular polarization**

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane




The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

■ $\hat{p} = \hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u} \quad (\hat{u} = \hat{p} = \hat{q})$


Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

$$\vec{F} = F_p \hat{p} + jF_q \hat{q}$$

$$\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$$

$$\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v}$$


$$\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

$$\begin{aligned} \blacksquare \hat{p} = \hat{q} & \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u} \quad (\hat{u} = \hat{p} = \hat{q}) \\ \blacksquare \hat{p} = -\hat{q} & \end{aligned}$$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

$$\vec{F} = F_p \hat{p} + jF_q \hat{q}$$

$$\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$$

$$\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v}$$


$$\vec{f}(t) = |\vec{F}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



$$\hat{p} = -\hat{q}$$

$$\mathcal{G} = \pi \longrightarrow \cos\left(\frac{\mathcal{G}}{2}\right) = 0 \quad \sin\left(\frac{\mathcal{G}}{2}\right) = 1$$

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$

$$\frac{\hat{p} + \hat{q}}{2} = \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u}$$

$$\frac{\hat{p} - \hat{q}}{2} = \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v}$$

$$\hat{v} = \hat{p} = -\hat{q}$$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

$$\vec{F} = F_p \hat{p} + jF_q \hat{q}$$

$$\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$$

$$\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v}$$


$$\vec{f}(t) = |\vec{F}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization dipole



$$\hat{p} = -\hat{q}$$



$$\mathcal{G} = \pi \longrightarrow \cos\left(\frac{\mathcal{G}}{2}\right) = 0 \quad \sin\left(\frac{\mathcal{G}}{2}\right) = 1$$

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$

$$\frac{\hat{p} + \hat{q}}{2} = \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u}$$


$$\frac{\hat{p} - \hat{q}}{2} = \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v}$$

$$\hat{v} = \hat{p} = -\hat{q}$$

Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$


The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line



Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$


The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line



Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$

The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line



Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$




The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$


The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line



Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$


The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line



Linear Polarization

$$\vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v}$$

The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line



Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

■ $\hat{p} = \hat{q}$ $\longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u} \quad (\hat{u} = \hat{p} = \hat{q})$

■ $\hat{p} = -\hat{q}$ $\longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v} \quad (\hat{v} = \hat{p} = -\hat{q})$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:


■ $\hat{p} = \hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u} \quad (\hat{u} = \hat{p} = \hat{q})$

■ $\hat{p} = -\hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v} \quad (\hat{v} = \hat{p} = -\hat{q})$

■ $F_p = 0$ and $F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization


$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization

$$\vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$$



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u} \quad (\hat{u} = \hat{p} = \hat{q})$

B $\hat{p} = -\hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v} \quad (\hat{v} = \hat{p} = -\hat{q})$

C $F_p = 0$ and $F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0$ and $F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t + \phi) \hat{u} \quad (\hat{u} = \hat{p} = \hat{q})$

B $\hat{p} = -\hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v} \quad (\hat{v} = \hat{p} = -\hat{q})$

C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v} \quad (\hat{v} = \hat{p} = -\hat{q})$

C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow \vec{f}(t) = |\vec{F}| \cos(\omega_0 t - \phi) \hat{v} \quad (\hat{v} = \hat{p} = -\hat{q})$

C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow F_u = 0 \text{ and } F_v \neq 0$

C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow F_u = 0 \text{ and } F_v \neq 0$

C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow F_u = 0 \text{ and } F_v \neq 0$

C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$

T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$


$$F_p = |\vec{F}| \cos \phi$$

$$F_q = |\vec{F}| \sin \phi$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$



$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane




$$F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \cos \phi = 0 \longrightarrow \phi = \frac{\pi}{2} + n\pi \longrightarrow 2\phi = \pi + 2n\pi$$

$$F_p \neq 0 \text{ and } F_q = 0 \longrightarrow \sin \phi = 0 \longrightarrow \phi = n\pi \longrightarrow 2\phi = 2n\pi$$



$$2\phi = n\pi$$



Linear Polarization

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$


T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

$$\begin{cases} F_p = |\vec{\mathbf{F}}| \cos \phi \\ F_q = |\vec{\mathbf{F}}| \sin \phi \end{cases}$$

$$|\vec{\mathbf{F}}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{\mathbf{u}} \cdot \hat{\mathbf{v}} = 0$$

Polarization plane



$$(F_p = 0 \text{ and } F_q \neq 0) \text{ or } (F_p \neq 0 \text{ and } F_q = 0)$$

$$2\phi = n\pi$$

$$\angle F_u - \angle F_v = n\pi$$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0$ and $F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow F_u = 0$ and $F_v \neq 0$

C $F_p = 0$ and $F_q \neq 0 \longrightarrow \vec{f}(t) = -F_q \sin(\omega_0 t) \hat{q}$

D $F_p \neq 0$ and $F_q = 0 \longrightarrow \vec{f}(t) = F_p \cos(\omega_0 t) \hat{p}$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$

B $\hat{p} = -\hat{q} \longrightarrow F_u = 0 \text{ and } F_v \neq 0$

C $F_p = 0 \text{ and } F_q \neq 0$ or $F_p \neq 0 \text{ and } F_q = 0$ $\longrightarrow \angle F_u - \angle F_v = n\pi$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

- A $\hat{p} = \hat{q} \longrightarrow F_u \neq 0 \text{ and } F_v = 0$
- B $\hat{p} = -\hat{q} \longrightarrow F_u = 0 \text{ and } F_v \neq 0$
- C $F_p = 0 \text{ and } F_q \neq 0 \longrightarrow \angle F_u - \angle F_v = n\pi$
- D $F_p \neq 0 \text{ and } F_q = 0 \longrightarrow$ or $\angle F_u - \angle F_v = n\pi$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

$$(F_u \neq 0 \text{ and } F_v = 0) \text{ or } (F_u = 0 \text{ and } F_v \neq 0) \text{ or } (\angle F_u - \angle F_v = n\pi)$$

Linear Polarization

$$\text{P1} \quad \vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$$

$$\text{T1} \quad \vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$$

$$\text{P2} \quad \vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$$

$$\text{T2} \quad \vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$$

Linear polarization: the vector $\vec{\mathbf{f}}(t)$ does not change its direction and its tip moves along a straight line. To obtain linear polarization, one (**just one**) of the following three conditions must be enforced:

$$(F_u \neq 0 \text{ and } F_v = 0) \quad \underline{\text{or}} \quad (F_u = 0 \text{ and } F_v \neq 0) \quad \underline{\text{or}} \quad (\angle F_u - \angle F_v = n\pi)$$

Polarization plane

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ lies in the polarization plane (\hat{p}, \hat{q}) (which is coincident with the plane (\hat{u}, \hat{v})), and it changes in general both its amplitude and its direction as the time elapses.

Two cases are of particular interest:

- Linear polarization
- **Circular polarization**

Circular Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



$$\begin{cases} |F_u| = |F_v| \\ \angle F_u - \angle F_v = \frac{\pi}{2} + n\pi \end{cases} \longrightarrow \begin{cases} \mathcal{G} = \frac{\pi}{2} \\ \phi = \pm \frac{\pi}{4} \end{cases}$$

Circular Polarization

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

$$\sin\left(\alpha + \frac{\pi}{2}\right) = \cos \alpha ; \sin\left(\alpha - \frac{\pi}{2}\right) = -\cos \alpha$$

$$\sin\left(\omega_0 t + \frac{\pi}{4}\right) = \sin\left(\omega_0 t - \frac{\pi}{4} + \frac{\pi}{2}\right) = \cos\left(\omega_0 t - \frac{\pi}{4}\right)$$

$$\sin\left(\omega_0 t - \frac{\pi}{4}\right) = \sin\left(\omega_0 t + \frac{\pi}{4} - \frac{\pi}{2}\right) = -\cos\left(\omega_0 t + \frac{\pi}{4}\right)$$

$$\mathcal{G} = \frac{\pi}{2}; \phi = \pm \frac{\pi}{4}$$

$$\begin{aligned} \vec{\mathbf{f}}(t) &= \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{u}} + \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t \mp \frac{\pi}{4}\right) \hat{\mathbf{v}} \\ &= \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{u}} \pm \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{v}} \end{aligned}$$

Circular Polarization

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

$$\vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{u}} \pm \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{v}}$$

Circular Polarization

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

$$\vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{u}} \pm \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{v}}$$


$$\begin{cases} |F_u| = |F_v| \\ \angle F_u - \angle F_v = \frac{\pi}{2} + n\pi \end{cases} \begin{matrix} \longrightarrow \\ \longrightarrow \end{matrix} \begin{matrix} \mathcal{G} = \frac{\pi}{2} \text{ and } \phi = +\frac{\pi}{4} \\ \mathcal{G} = \frac{\pi}{2} \text{ and } \phi = -\frac{\pi}{4} \end{matrix} \begin{matrix} \longrightarrow \\ \longrightarrow \end{matrix} \begin{matrix} \vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{u}} + \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{v}} \\ \vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t - \frac{\pi}{4}\right) \hat{\mathbf{u}} - \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t - \frac{\pi}{4}\right) \hat{\mathbf{v}} \end{matrix}$$

Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \quad \phi = +\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{u} + \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$




The vector $\vec{f}(t)$ maintains a constant modulus

Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \quad \phi = +\frac{\pi}{4}$$

$$\vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{u}} + \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{v}}$$

$$|\vec{\mathbf{f}}(t)|^2 = \frac{|\vec{\mathbf{F}}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{\mathbf{F}}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{\mathbf{F}}|^2}{2}$$




The vector $\vec{\mathbf{f}}(t)$ maintains a constant modulus

Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \quad \phi = +\frac{\pi}{4}$$

$$\vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{u}} + \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{v}}$$

$$|\vec{\mathbf{f}}(t)|^2 = \frac{|\vec{\mathbf{F}}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{\mathbf{F}}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{\mathbf{F}}|^2}{2}$$




The vector $\vec{\mathbf{f}}(t)$ maintains a constant modulus
Its tip moves along a circle with angular velocity ω_0

Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \quad \phi = +\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{u} + \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$



The vector $\vec{f}(t)$ maintains a constant modulus and its tip moves along a circle with angular velocity ω_0

Circular Polarization

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

$$\vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{u}} \pm \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t \pm \frac{\pi}{4}\right) \hat{\mathbf{v}}$$


$$\begin{cases} |F_u| = |F_v| \\ \angle F_u - \angle F_v = \frac{\pi}{2} + n\pi \end{cases} \begin{matrix} \longrightarrow \\ \longrightarrow \end{matrix} \begin{matrix} \mathcal{G} = \frac{\pi}{2} \text{ and } \phi = +\frac{\pi}{4} \\ \mathcal{G} = \frac{\pi}{2} \text{ and } \phi = -\frac{\pi}{4} \end{matrix} \begin{matrix} \longrightarrow \\ \longrightarrow \end{matrix} \begin{matrix} \vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{u}} + \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{\mathbf{v}} \\ \vec{\mathbf{f}}(t) = \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \cos\left(\omega_0 t - \frac{\pi}{4}\right) \hat{\mathbf{u}} - \frac{|\vec{\mathbf{F}}|}{\sqrt{2}} \sin\left(\omega_0 t - \frac{\pi}{4}\right) \hat{\mathbf{v}} \end{matrix}$$

Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \phi = +\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{u} + \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$




The vector $\vec{f}(t)$ maintains a constant modulus and its tip moves along a circle with angular velocity ω_0

$$\mathcal{G} = \frac{\pi}{2}; \phi = -\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t - \frac{\pi}{4}\right) \hat{u} - \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t - \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t - \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t - \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$




Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \phi = +\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{u} + \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$




The vector $\vec{f}(t)$ maintains a constant modulus and its tip moves along a circle with angular velocity ω_0

$$\mathcal{G} = \frac{\pi}{2}; \phi = -\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t - \frac{\pi}{4}\right) \hat{u} - \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t - \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t - \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t - \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$




Circular Polarization

$$\mathcal{G} = \frac{\pi}{2}; \phi = +\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t + \frac{\pi}{4}\right) \hat{u} + \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t + \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t + \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$




The vector $\vec{f}(t)$ maintains a constant modulus and its tip moves along a circle with angular velocity ω_0

$$\mathcal{G} = \frac{\pi}{2}; \phi = -\frac{\pi}{4}$$

$$\vec{f}(t) = \frac{|\vec{F}|}{\sqrt{2}} \cos\left(\omega_0 t - \frac{\pi}{4}\right) \hat{u} - \frac{|\vec{F}|}{\sqrt{2}} \sin\left(\omega_0 t - \frac{\pi}{4}\right) \hat{v}$$

$$|\vec{f}(t)|^2 = \frac{|\vec{F}|^2}{2} \left[\cos\left(\omega_0 t - \frac{\pi}{4}\right) \right]^2 + \frac{|\vec{F}|^2}{2} \left[\sin\left(\omega_0 t - \frac{\pi}{4}\right) \right]^2 = \frac{|\vec{F}|^2}{2}$$



Circular Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ maintains a constant modulus and its tip moves along a circle with angular velocity ω_0

$$\left(|F_u| = |F_v| \right) \text{ and } \left(\angle F_u - \angle F_v = \frac{\pi}{2} + n\pi \right)$$

Linear Polarization

$$\vec{f}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{F} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{F} = F_p \hat{p} + jF_q \hat{q}$

T1 $\vec{f}(t) = F_p \cos(\omega_0 t) \hat{p} - F_q \sin(\omega_0 t) \hat{q}$

P2 $\vec{F} = |\vec{F}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{u} + |\vec{F}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{v} = F_u \hat{u} + F_v \hat{v}$


T2 $\vec{f}(t) = |\vec{F}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{u} + |\vec{F}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{v}$

$$\begin{cases} F_p = |\vec{F}| \cos \phi \\ F_q = |\vec{F}| \sin \phi \end{cases}$$

$$|\vec{F}| = \sqrt{F_p^2 + F_q^2}$$

$$\hat{u} \cdot \hat{v} = 0$$

Polarization plane



The vector $\vec{f}(t)$ does not change its direction and its tip moves along a straight line:

$$(F_u \neq 0 \text{ and } F_v = 0) \text{ or } (F_u = 0 \text{ and } F_v \neq 0) \text{ or } (\angle F_u - \angle F_v = n\pi)$$

Field Polarization

$$\vec{\mathbf{f}}(t) = f_x(t)\hat{i}_x + f_y(t)\hat{i}_y + f_z(t)\hat{i}_z$$

$$\vec{\mathbf{F}} = F_x\hat{i}_x + F_y\hat{i}_y + F_z\hat{i}_z = A_x e^{j\alpha_x}\hat{i}_x + A_y e^{j\alpha_y}\hat{i}_y + A_z e^{j\alpha_z}\hat{i}_z$$

$$f_x(t) = A_x \cos(\omega_0 t + \alpha_x) \longrightarrow F_x = A_x e^{j\alpha_x} = R_x + jI_x$$

$$f_y(t) = A_y \cos(\omega_0 t + \alpha_y) \longrightarrow F_y = A_y e^{j\alpha_y} = R_y + jI_y$$

$$f_z(t) = A_z \cos(\omega_0 t + \alpha_z) \longrightarrow F_z = A_z e^{j\alpha_z} = R_z + jI_z$$

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\mathcal{G}}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\mathcal{G}}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

Field Polarization

P1 $\vec{\mathbf{F}} = F_p \hat{\mathbf{p}} + jF_q \hat{\mathbf{q}}$

T1 $\vec{\mathbf{f}}(t) = F_p \cos(\omega_0 t) \hat{\mathbf{p}} - F_q \sin(\omega_0 t) \hat{\mathbf{q}}$

P2 $\vec{\mathbf{F}} = |\vec{\mathbf{F}}| e^{j\phi} \cos\left(\frac{\theta}{2}\right) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| e^{-j\phi} \sin\left(\frac{\theta}{2}\right) \hat{\mathbf{v}} = F_u \hat{\mathbf{u}} + F_v \hat{\mathbf{v}}$

T2 $\vec{\mathbf{f}}(t) = |\vec{\mathbf{F}}| \cos\left(\frac{\theta}{2}\right) \cos(\omega_0 t + \phi) \hat{\mathbf{u}} + |\vec{\mathbf{F}}| \sin\left(\frac{\theta}{2}\right) \cos(\omega_0 t - \phi) \hat{\mathbf{v}}$

Linear polarization: the vector $\vec{\mathbf{f}}(t)$ does not change its direction and its tip moves along a straight line. To obtain linear polarization, one (**just one**) of the following three conditions must be enforced:

$$(F_u \neq 0 \text{ and } F_v = 0) \quad \underline{\text{or}} \quad (F_u = 0 \text{ and } F_v \neq 0) \quad \underline{\text{or}} \quad (\angle F_u - \angle F_v = n\pi)$$

Circular polarization: the vector $\vec{\mathbf{f}}(t)$ maintains a constant modulus and its tip moves with angular velocity ω_0 along a circle in the polarization plane.

To obtain circular polarization, the following two conditions must be **simultaneously** enforced:

$$|F_u| = |F_v| \quad \underline{\text{and}} \quad \angle F_u - \angle F_v = \frac{\pi}{2} + n\pi$$

In the more general case, the tip of the vector $\vec{\mathbf{f}}(t)$ moves along an ellipse in the polarization plane. This case is referred to as **elliptical polarization**.